

# DOORSETS



dēanta

# WELCOME

PAGE 03	What's included?
PAGE 04	Benefits of doorsets
PAGE 06	Why Deanta?
PAGE 07	Accreditations & affiliations
PAGE 08	Doors
PAGE 10	Frames
PAGE 11	Ironmongery
PAGE 12	Glazing options
PAGE 13	Skirting & architrave
PAGE 14	Information

# WHAT'S INCLUDED?



## THE FRAME

- Oak, walnut or white primed finish
- Fire, acoustic and smoke seals
- Hardwood, softwood or MDF

## THE DOOR

- High-density Deanta solid core
- 18mm solid lippings
- Crown and diamond cut veneers
- Solid oak inlay
- FSC®-certified
- Certified fire door options

## THE SKIRTING & ARCHITRAVE

- Oak, walnut or white primed
- 5 design profiles

## THE GLAZING

- Pilkington Pyrodur® and Pyroshield™2

## THE HANDLE


- Stylish range of contemporary Deanta handles

## THE IRONMONGERY

- Deanta Certifire-rated hinges, latches and locks
- Handles
- Hinges
- Latches and locks
- Drop seals
- Signage and plates
- Door closers



# BENEFITS OF DOORSETS




## FULLY CERTIFIED

Deanta doorsets are fully certified to meet fire, smoke, sound and security ratings. Our prehung doorsets minimise the risk of incorrect installation on site, providing confidence to both the contractor and customer that they have everything they need, from an accountable doorset manufacturer.




## FASTER FITTING

Purchasing a Deanta prehung doorset reduces on site installation time, allowing quicker access to other trades, providing a more time-efficient site and the opportunity to reduce deadlines. In addition this can save money on capital and on site labour costs.



## EASIER AND CLEANER FITTING

Deanta prehung doorsets are supplied in a single factory-finished package. Manufactured on state-of-the-art CNC machines, and hand finished by our expert craftsmen to ensure that all tolerances and clearance gaps are correct and consistent prior to delivery. The pre-cut door handle position, saves time and ensures a clean and tidy work site.



## REDUCED SITE WASTE

Deanta prehung doorsets are manufactured to individual aperture requirements and assembled at our premises in Cambridgeshire, so the only site waste is our recyclable packaging.

Deanta prehung doorsets are supplied fully assembled and ready to install, or alternatively choose the door kit option for self-assembly on site.

### DEANTA PREHUNG DOORSETS & DOOR KITS INCLUDE:

- Fully assembled frame, door (solid or glazed) and hinges
- Frame, including loose stop
- Ironmongery - handles, hinges and latches
- Seals

### ADDITIONAL COMPONENTS:

- Architrave
- Skirting
- Additional ironmongery - drop seals, door closers etc.



## PREHUNG DOORSET

- Fully assembled frame, door and hinges
- Latch keeps/lock machined and installed
- Pre-cut hole for handle set (handle supplied loose)
- Seals supplied
- Fire doorset available

## GOOD FOR:

- New construction
- Refurbishment
- Replace damaged frames
- Consistency across all doors
- Saves time and on site labour costs



## DOOR KIT

- Door pre-machined for hinges, latch and handle
- Flat pack frame pre-machined
- Loose ironmongery and seals to fit
- Fire door kit available

## GOOD FOR:

- Adjustments on site
- Phased installation of the kit, i.e. frame, then door, then ironmongery.
- Consistency across all doors

# WHY DEANTA?

## We are not just another doorset company.

At Deanta we offer an extensive range of accredited interior door solutions from our UK HQ in Cambridgeshire. With over 20 years' experience, we are a forward-thinking, innovative company, delivering outstanding quality, original design and an ever-expanding range of premium doors and accessories. As a UK manufacturer we produce doorsets, bespoke glazing options and ancillary products in-house, and offer peace of mind from an uninterrupted managed supply chain and a complete chain of accreditation.



### FIRE ACCREDITATION

With Deanta fire-rated products you can be confident you have all the appropriate fire certifications and accreditations.



### FSC® CERTIFIED

We are certified by the Forest Stewardship Council® (FSC®) and all our prefinished products are made using FSC® certified materials.



### 10 YEAR WARRANTY

We offer a limited 10 year warranty on all our doors and ironmongery products, so you can ensure peace of mind when purchasing from us.



### 20 YEARS' EXPERIENCE

Deanta's doorset portfolio is based on over 20 years' experience in supplying internal doors and ironmongery.



### IN-HOUSE GLAZING CENTRE

A vast array of glazing apertures and types are available throughout our range. The doors are cut and glazed in our state-of-the-art glazing centre in Cambridgeshire.



### CHAIN OF ACCREDITATION

Deanta provides a single-source solution for all your doorset requirements and a complete chain of accreditation.



### LOCALLY ASSEMBLED

Our products are manufactured on state-of-art CNC machines and hand-finished in our manufacturing and assembly centre in Cambridgeshire.



### QUALITY CONTROL

Deanta's quality control processes ensure we provide robust, solid core doors and ironmongery of the highest quality.



### SIMPLICITY TO PURCHASE

Save time by purchasing from a single-source provider, rather than sourcing from multiple suppliers.

# ACCREDITATIONS & AFFILIATIONS

Fire safety is at the core of our business. If fire doors are not manufactured and installed correctly, their fire-resistance can become seriously compromised and cause danger to property or life.

Because we manufacture all of our own doors, we can ensure that every single component not only meets the required standards, but exceeds them. We invest heavily in research and development to provide you with the safest, most reliable fire door products on the market.

All our fire-rated products are extensively tested and accredited by third party certification schemes to provide an additional level of safety and assurance.

Where applicable doorsets are hung to comply with Building Regulations Part M. Deanta doorsets are available in a range of sizes for wider access as well as glazed doors with mobility vision panels.



### CERTIFIRE

Certifire is a UKAS accredited, independent third-party product certification scheme operated by Warringtonfire Testing and Certification Limited. All Deanta FD30 fire doors are certified to the Certifire scheme.



### BM TRADA Q-MARK

The BM TRADA Q-Mark fire door manufacturers scheme provides independent reassurance to specifiers and purchasers that Deanta UK products are manufactured to a consistent quality. This provides additional reassurance above the minimum legal requirements, that Deanta products are fit for purpose through on-going compliance to the original product specification.



### PAS24 ENHANCED SECURITY PERFORMANCE

PAS24 forms part of the enhanced security testing of doorsets which meets the criteria set out in Approved Document Q (Security, Dwellings). The testing involves manual attack of key components including locks, handles and cylinders as well as manipulation tests on the door leaf and frame.



### FSC®

We are certified by the Forest Stewardship Council® (FSC®) and all our prefinished products are made using FSC® certified materials.



### ASDMA

We are a member of the Architectural And Specialist Door Manufacturers Association (ASDMA), which promotes best practice in the manufacture and supply of bespoke doors and doorsets.



# DOORS

At Deanta we pride ourselves on the construction of our doors, the quality of materials we use and the choice of door designs we offer. Deanta doorsets are available with doors from all of our ranges, ensuring you will always find a style which suits your setting.

The doors from our extensive Feature Door range are produced with robust, solid cores that are finished with a selection of veneers or classic white primed for on site finishing. Prefinished feature doors are FSC® certified and available as non fire-rated or FD30 fire doors.

Our Flush Door range has a closed grain finish and is available in hand-picked oak, walnut, ash veneer and white primed. Our flush doors can be selected in a range of non fire-rated, FD30 and FD60 fire doors.

Our latest industrial-style door range, The Urban Collection, is also available as a non fire-rated Deanta doorset.

## CHOOSE YOUR FINISH




## CHOOSE YOUR STYLE



Please note that some styles are not available in all finishes. This is a small selection of our range please review our collection brochure or website (deanta.co.uk) for a full list of our products.

## RANGE EXAMPLES



## SIZING

Standard doors are up to 2040mm high and 926mm wide. Bespoke door leaves can be manufactured up to 2400mm high and 950mm wide. Fire doors are available in 44mm (FD30 doors) and 54mm (FD60 doors) depth.



# FRAMES

Deanta doorsets include high quality door frames consisting of a hardwood, softwood or MDF core with an oak veneer, walnut veneer or white primed finish, to complement your choice of door.

## KEY FEATURES

- American white oak/black walnut veneer or white primed
- Prefinished/primed
- MDF, softwood and hardwood

## SIZING - MDF CORE

- 133mm/108mm x 30mm (removable stop included)
- Fire-rated frame (FD30 doorset) includes 15mm x 4mm door perimeter seal

## SIZING - HARDWOOD/SOFTWOOD

- Sapele and redwood options available
- 70mm to 200mm x 30mm to 45mm (removable stop included or rebated option)
- Fire-rated frame (FD30 doorset) includes 15mm x 4mm door perimeter seal
- Fire-rated frame (FD60 doorset) includes two 15mm x 4mm door perimeter seals



## FRAME FINISH




Oak veneered MDF



Walnut veneered MDF



White primed MDF



Primed softwood



Primed hardwood

## PERIMETER SEALS

Seals for fire, smoke and acoustic protection are available for fire-rated doorsets. Seals are supplied separately for easier on site finishing.

# IRONMONGERY

We offer a range of stylish internal hardware to complement our doors. From handles to hinges and locks to latches, whatever your taste, we have something for you.



## HANDLES

Available in a range of finishes and styles to complement your door and interior. Available in matt black, matt satin black, matt/polished chrome, satin nickel, satin brass and polished chrome.




## HINGES

Certifire-rated Grade 13 steel hinges, as well as BS EN 1935 standard hinges in steel and black steel. Available in radius or square profiles.



## LATCHES AND LOCKS

Choose from a selection of tubular latches, slim latches, sash locks and cylinder locks. Available in a variety of finishes.



## DROP SEALS

Aluminium based Lorient drop seal for acoustic, smoke and energy containment. Features a high efficiency mechanism which lifts the seal clear of the floor as soon as the door is opened. Fitted onto single swing doors, for use on both right and left-handed doors.



## SIGNAGE AND PLATES

Complete your doorset with a range of accessories. Such as push plates, kick plates and door signage.



## DOOR CLOSERS

Door closers are an essential element of a fire doorset. They ensure the door is kept closed safely and securely at all times, helping with fire safety and security of a doorset. They also help prevent the door from slamming shut, by controlling the force and speed at which the door closes.



# GLAZING OPTIONS

Deanta's state-of-the-art glazing centre in Cambridgeshire offers a broad selection of vision panels for prehung doorsets and door kits.

Choose from 14 different glazing aperture options or bespoke glazing, all of which are available with standard non fire-rated glass, acoustic-rated glass or for fire-rated doorsets we offer Pilkington Pyrodur® and Pyroshield™2 fire-rated glass. Obscure glazing is also available on request.



## WIRED GLAZING

We use Pilkington Pyroshield™2 monolithic wired glass in our bespoke glazed fire doors, which offers up to 60 minutes integrity.




## CLEAR GLAZING

We offer standard clear glazing using toughened glass manufactured to EN 12150. Our fire-rated clear glazing uses Pilkington Pyrodur® glass for 30 and 60 minute applications.

## APERTURE OPTIONS

Aperture options 5, 6 and 13 comply with approved document M: Access to and use of buildings.



\*Options 3, 4 and 5 are not available with 60M rated fire glass.

# SKIRTING & ARCHITRAVE

Deanta doorsets can be seamlessly integrated into any room with Deanta's range of skirting and architrave. Select the design profile and finish to complement your doorset. Skirting sold in packs of four, architrave can be pre-mitred on request.

## WHITE PRIMED SKIRTING

- Water resistant MDF
- Machine sanded MDF for a smooth finish
- Shrink wrapped for compact delivery

## VENEERED SKIRTING


- Grade-A veneer
- Filled with soft wood for extra stability
- Machine cut for optimum precision



**HALF SPLAYED OAK**  
American white oak veneer  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 90mm x 16mm




**HALF SPLAYED WALNUT**  
American black walnut veneer  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 90mm x 16mm



**HALF SPLAYED WHITE**  
White primed  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 90mm x 16mm



**SHAKER WALNUT**  
American black walnut veneer  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 80mm x 16mm



**SHAKER WHITE**  
White primed  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 80mm x 16mm




**SHAKER OAK**  
American white oak veneer  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 80mm x 16mm



**ULYSSES WHITE**  
White primed  
MDF core  
Skirting: 3.6M x 145mm x 18mm  
Architrave: 90mm x 18mm



**TRADITIONAL OAK**  
American white oak veneer  
MDF core  
Skirting: 3.6M x 145mm x 16mm  
Architrave: 80mm x 16mm



**VICTORIANA WHITE**  
White primed  
MDF core  
Skirting: 3.6M x 180mm x 18mm  
Architrave: 100mm x 18mm




# INFORMATION




## ORDERING

Orders can be placed at selected builders merchants and door specialists across the country. Visit [deanta.co.uk](http://deanta.co.uk) to find a stockist. Enquiries can be placed through our Technical Sales Team, at [doorsets@deanta.co.uk](mailto:doorsets@deanta.co.uk) or 01353 698 602.




## DELIVERY

Deanta operate a fleet of vehicles across the UK providing a flexible delivery service. Deliveries are made direct to site or to our stockists on curtain-side vehicles suitable for forklift offloading.



## STORAGE

Doorsets are a second fix product and should be stored horizontally, off the floor on a flat and level surface within a clean and dry environment. Doors should be protected from direct heat, humid conditions and moisture. Doors should not be stored in storage containers or any unheated space.



## INSTALLATION

Doorsets must not be fitted in a house that is freshly plastered and doorsets should only be delivered to site after all wet trades are finished and the area is sufficiently dried. Doors should be acclimatised within the dwelling 7 days before installation.



## WARRANTIES

A ten year warranty applies to our doors for manufacturing faults.  
A ten year warranty applies to our ironmongery (handles and locks) for mechanical faults.

For full terms and conditions along with further information on warranties please refer to our current door collection brochure or website [deanta.co.uk/terms-conditions](http://deanta.co.uk/terms-conditions).



## HELPING OUR PLANET

Deanta is committed to doing our part for the environment. By carbon balancing this job with The World Land Trust we have offset 27kg of carbon and protected 19 square meters of endangered forest.



[www.lovepaper.org](http://www.lovepaper.org)



[www.carbonbalancedprinter.com](http://www.carbonbalancedprinter.com)  
Healeys Print Group - Reg. 2108







dēanta